



# SERIE 5

Advanced line - Wa



## APPLICAZIONI PRINCIPALI



## BATTERIE ADATTE

PzS Piombo acido

## DIMENSIONI DISPONIBILI

Ph	Vac	Corrente in uscita				
		24	36	48	72	80
1Ph	120	da 40 a 60 A	da 25 a 40 A	da 20 a 30 A	//	//
	208-240	da 80 a 160 A	da 50 a 140 A	da 50 a 120 A	//	//
3Ph	208-240-440-480	da 80 a 200 A	da 80 a 200 A	da 80 a 160 A	da 80 a 140 A	da 80 a 120 A
	600	da 80 a 200 A	da 80 a 200 A	da 80 a 160 A	da 80 a 140 A	da 80 a 120 A

A

## TABELLA AH

A	>>>	20A	25A	30A	40A	50A	60A	80A
Ah (C6)	8-9h	103	128	154	206	257	308	411
	12-14h	132-147	165-184	198-220	265-294	331-367	397-441	529-588
A	>>>	100A	120A	140A	160A	180A	200A	
Ah (C6)	8-9h	514	617	719	822	925	1028	
	12-14h	661-735	794-882	926-1029	1058-1176	1190-1322	1323-1469	





# SERIE 5 PULSE

## WO Pulse



### APPLICAZIONI PRINCIPALI



### BATTERIE ADATTE

PzS Piombo acido

### DIMENSIONI DISPONIBILI

Ph	Vac	Corrente in uscita				
		24	36	48	72	80
1Ph	120	da 40 a 60 A	da 25 a 40 A	da 20 a 30 A	//	//
	208-240	da 80 a 160 A	da 50 a 140 A	da 50 a 120 A	//	//
3Ph	208-240-440-480	da 80 a 200 A	da 80 a 200 A	da 80 a 160 A	da 80 a 140 A	da 80 a 120 A
	600	da 80 a 200 A	da 80 a 200 A	da 80 a 160 A	da 80 a 140 A	da 80 a 120 A

A

### TABELLA AH

A	>>>	60A	80A	100A	120A	140A	160A	180A	200A
Ah (C6)	6,5-8h	259-323	345-431	431-539	518-646	604-754	690-862	777-970	863-1.077
	8-11h	259-323	345-431	431-539	518-646	754-1069	862-1222	970-1375	1.077-1528

